

C3G Polyclonal Antibody

Catalog No: YT0569

Reactivity: Human

Applications: IHC;IF;ELISA

Target: C3G

Fields: >>Rap1 signaling pathway;>>Focal adhesion;>>Neurotrophin signaling

pathway;>>Insulin signaling pathway;>>Renal cell carcinoma

Gene Name: RAPGEF1

Protein Name: Rap guanine nucleotide exchange factor 1

Q13905

Human Gene Id: 2889

Human Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

RAPGEF1. AA range:470-519

Specificity: C3G Polyclonal Antibody detects endogenous levels of C3G protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : IHC 1:100 - 1:300. ELISA: 1:5000.. IF 1:50-200

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 121kD



Cell Pathway: Regulation of Actin Dynamics; AMPK

Background: This gene encodes a human guanine nucleotide exchange factor. It transduces

signals from CRK by binding the SH3 domain of CRK, and activating several members of the Ras family of GTPases. This signaling cascade that may be involved in apoptosis, integrin-mediated signal transduction, and cell transformation. Several alternatively spliced transcript variants of this gene have

been described, but the full-length nature of some variants has not been

determined. [provided by RefSeq, Jul 2008],

Function: function:Guanine nucleotide-releasing protein that binds to SH3 domain of CRK

and GRB2/ASH. Transduces signals from CRK to activate

RAS., similarity: Contains 1 N-terminal Ras-GEF domain., similarity: Contains 1 Ras-

GEF domain., subunit: Interacts with CRK via its SH3-binding sites., tissue specificity: Ubiquitously expressed in adult and fetus. Expression is high in adult

specificity: Obiquitously expressed in adult and letus. Expression is high in adult skeletal muscle and placenta and in fetal brain and heart. Low levels of

expression in adult and fetal liver.,

Subcellular Location:

Early endosome.

Expression: Ubiquitously expressed in adult and fetus. Expression is high in adult skeletal

muscle and placenta and in fetal brain and heart. Low levels of expression in adult

and fetal liver.

Sort : 2948


No4: 1

Host: Rabbit

Modifications: Unmodified

Products Images

2/3



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using RapGEF1 Antibody. The picture on the right is blocked with the synthesized peptide.