

## **Claudin-6 Polyclonal Antibody**

Catalog No: YT0955

**Reactivity:** Human; Mouse

**Applications:** WB;IHC;IF;ELISA

Target: Claudin-6

Fields: >>Cell adhesion molecules;>>Tight junction;>>Leukocyte transendothelial

migration;>>Pathogenic Escherichia coli infection;>>Hepatitis C

Gene Name: CLDN6

Protein Name: Claudin-6

Human Gene Id: 9074

**Human Swiss Prot** 

No:

**Mouse Swiss Prot** 

No:

**Immunogen:** The antiserum was produced against synthesized peptide derived from human

CLDN6. AA range:81-130

P56747

Q9Z262

**Specificity:** Claudin-6 Polyclonal Antibody detects endogenous levels of Claudin-6 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:40000. Not

yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

1/4



Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 26kD

**Cell Pathway:** Cell adhesion molecules (CAMs); Tight junction; Leukocyte transendothelial

migration;

**Background:** Tight junctions represent one mode of cell-to-cell adhesion in epithelial or

endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. These junctions are comprised of sets of continuous

networking strands in the outwardly facing cytoplasmic leaflet, with

complementary grooves in the inwardly facing extracytoplasmic leaflet. This gene encodes a component of tight junction strands, which is a member of the claudin family. The protein is an integral membrane protein and is one of the entry cofactors for hepatitis C virus. The gene methylation may be involved in

CLDN9 on chromosome 16.[provided by RefSeq, Aug 2010],

**Function:** function:Plays a major role in tight junction-specific obliteration of the

intercellular space., similarity: Belongs to the claudin family., subunit: Directly

esophageal tumorigenesis. This gene is adjacent to another family member

interacts with TJP1/ZO-1, TJP2/ZO-2 and TJP3/ZO-3.,

Subcellular Location:

Cell junction, tight junction. Cell membrane; Multi-pass membrane protein.

**Expression:** Expressed in the liver, in peripheral blood mononuclear cells and

hepatocarcinoma cell lines.

Tag: orthogonal

**Sort :** 4117


No4:

**Host:** Rabbit


Modifications: Unmodified

## **Products Images**


2/4




Western Blot analysis of various cells using Claudin-6 Polyclonal Antibody



Immunofluorescence analysis of HUVEC cells, using CLDN6 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human ovary tissue, using CLDN6 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from Jurkat cells, using CLDN6 Antibody. The lane on the right is blocked with the synthesized peptide.