

## **Connexin 31.3 Polyclonal Antibody**

Catalog No: YT1042

**Reactivity:** Human; Mouse

**Applications:** WB;ELISA

Target: Connexin 31.3

Gene Name: GJC3

**Protein Name:** Gap junction gamma-3 protein

Human Gene Id: 349149

**Human Swiss Prot** 

..

No:

**Mouse Swiss Prot** 

No:

Immunogen:

Q921C1

Q8NFK1

The antiserum was produced against synthesized peptide derived from human

GJC3. AA range:151-200

**Specificity:** Connexin 31.3 Polyclonal Antibody detects endogenous levels of Connexin 31.3

protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. ELISA: 1:40000. Not yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 28kD

1/2



**Background:** 

This gene encodes a gap junction protein. The encoded protein, also known as a connexin, plays a role in formation of gap junctions, which provide direct connections between neighboring cells. Mutations in this gene have been reported to be associated with nonsyndromic hearing loss.[provided by RefSeq, Feb 2010],

**Function:** 

function:One gap junction consists of a cluster of closely packed pairs of transmembrane channels, the connexons, through which materials of low MW diffuse from one cell to a neighboring cell.,similarity:Belongs to the connexin family. Gamma-type subfamily.,subunit:A connexon is composed of a hexamer of connexins.,tissue specificity:CNS specific. Expression is restricted to brain, spinal cord, and sciatic nerve. According to PubMed:12881038 expression is abundant in skeletal muscle, liver, and heart, and to a minor degree in pancreas and kidney.,

Subcellular Location:

Cell membrane ; Multi-pass membrane protein . Cell junction, gap junction .

**Expression**:

CNS specific. Expression is restricted to brain, spinal cord, and sciatic nerve. According to PubMed:12881038, expression is abundant in skeletal muscle, liver, and heart, and to a minor degree in pancreas and kidney.

**Sort :** 4414

**No4**:

Host: Rabbit

Modifications: Unmodified

## Western blot analysis of the lysates from K562 cells using GJC3 antibody. 85 48342619-