

GluR-δ1 Polyclonal Antibody

Catalog No: YT1926

Reactivity: Human; Mouse; Rat

Applications: WB;IHC;IF;ELISA

Target : GluR-δ1

Fields: >>Neuroactive ligand-receptor interaction

Gene Name: GRID1

Protein Name: Glutamate receptor delta-1 subunit

Q61627

Human Gene Id: 2894

Human Swiss Prot

ss Prot Q9ULK0

No:

Mouse Gene Id: 14803

Mouse Swiss Prot

No:

Rat Gene ld: 79219

Rat Swiss Prot No: Q62640

Immunogen: The antiserum was produced against synthesized peptide derived from human

GRID1. AA range:831-880

Specificity: GluR-δ1 Polyclonal Antibody detects endogenous levels of GluR-δ1 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:40000.. IF 1:50-200

1/3



Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 95kD

Cell Pathway : Neuroactive ligand-receptor interaction;

Background : This gene encodes a subunit of glutamate receptor channels. These channels

mediate most of the fast excitatory synaptic transmission in the central nervous system and play key roles in synaptic plasticity. [provided by RefSeq, Jan 2009],

Function: function:Receptor for glutamate. L-glutamate acts as an excitatory

neurotransmitter at many synapses in the central nervous system. The

postsynaptic actions of Glu are mediated by a variety of receptors that are named according to their selective agonists..similarity:Belongs to the glutamate-gated ion

channel (TC 1.A.10) family.,

Subcellular Cell membrane; Multi-pass membrane protein. Cell junction, synapse,

Location: postsynaptic cell membrane; Multi-pass membrane protein.

Expression : Brain, Uterus,

Sort : 6633


No4:

Host: Rabbit


Modifications: Unmodified

Products Images

2/3




Immunohistochemistry analysis of paraffin-embedded human brain tissue, using GRID1 Antibody. The picture on the right is blocked with the synthesized peptide.



GRID1

Western blot analysis of lysates from RAW264.7 cells, using GRID1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from RAW264.7cells using GRID1 antibody.