

OSR1 Polyclonal Antibody

Catalog No: YT3473

Reactivity: Human; Mouse

Applications: IHC;IF;ELISA

Target: OSR1

Gene Name: OXSR1

Protein Name: Serine/threonine-protein kinase OSR1

O95747

Q6P9R2

Human Gene Id: 9943

Human Swiss Prot

No:

Mouse Gene Id: 108737

Mouse Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

OSR1. AA range:151-200

Specificity: OSR1 Polyclonal Antibody detects endogenous levels of OSR1 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : IHC 1:100 - 1:300. ELISA: 1:5000.. IF 1:50-200

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

1/3

Molecularweight: 58kD

Background: The product of this gene belongs to the Ser/Thr protein kinase family of proteins.

It regulates downstream kinases in response to environmental stress, and may play a role in regulating the actin cytoskeleton. [provided by RefSeq, Jul 2008],

Function: catalytic activity:ATP + a protein = ADP + a

phosphoprotein.,cofactor:Magnesium.,enzyme regulation:By autophosphorylation

on threonine.,function:Regulates downstream kinases in response to environmental stress. May also have a function in regulating the actin

cytoskeleton.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the protein kinase superfamily. STE Ser/Thr protein

kinase family. STE20 subfamily., similarity: Contains 1 protein kinase

domain.,subunit:Binds to and phosphorylates PAK1. Interacts with chloride channel proteins SLC12A6 isoform 2, SLC12A1 and SLC12A2 but not with SLC12A4 and SLC12A7, possibly establishing sensor/signaling modules that initiate the cellular response to environmental stress. Binds to and phosphorylates RELL1, RELL2 AND RELT.,tissue specificity:Ubiquitously expressed in all tissue

examined.,

Subcellular Location:

Ilular Cytoplasm.

Expression: Ubiquitously expressed in all tissue examined.

Sort : 11323


No4:

Host: Rabbit

Modifications: Unmodified

Products Images

2/3



Immunohistochemistry analysis of paraffin-embedded human colon carcinoma tissue, using OSR1 Antibody. The picture on the right is blocked with the synthesized peptide.