


TGF β RIII Polyclonal Antibody


Catalog No :	YT4630
Reactivity :	Human;Mouse;Rat
Applications :	WB;IF;ELISA
Target :	TGF β RIII
Gene Name :	TGFBR3
Protein Name :	Transforming growth factor beta receptor type 3
Human Gene Id :	7049
Human Swiss Prot No :	Q03167
Mouse Gene Id :	21814
Mouse Swiss Prot No :	O88393
Rat Gene Id :	29610
Rat Swiss Prot No :	P26342
Immunogen :	The antiserum was produced against synthesized peptide derived from human TGF beta Receptor III. AA range:801-850
Specificity :	TGF β RIII Polyclonal Antibody detects endogenous levels of TGF β RIII protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500-2000. ELISA: 1:5000. IF 1:50-200
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)
Molecularweight :	93kD
Background :	<p>This locus encodes the transforming growth factor (TGF)-beta type III receptor. The encoded receptor is a membrane proteoglycan that often functions as a co-receptor with other TGF-beta receptor superfamily members. Ectodomain shedding produces soluble TGFBR3, which may inhibit TGFB signaling. Decreased expression of this receptor has been observed in various cancers. Alternatively spliced transcript variants encoding different isoforms have been identified for this gene.[provided by RefSeq, Sep 2010],</p>
Function :	<p>function: Binds to TGF-beta. Could be involved in capturing and retaining TGF-beta for presentation to the signaling receptors.,PTM: Extensively modified by glycosaminoglycan groups (GAG).,similarity: Contains 1 ZP domain.,subcellular location: Exists both as a membrane-bound form and as soluble form in serum and in the extracellular matrix.,subunit: Interacts with TCTEX1D4.,</p>
Subcellular Location :	<p>Secreted. Secreted, extracellular space. Cell membrane ; Single-pass type I membrane protein . Exists both as a membrane-bound form and as soluble form in serum and in the extracellular matrix.</p>
Expression :	Blood,Brain,Placenta,Tongue,
Tag :	orthogonal
Sort :	17084
No4 :	1
Host :	Rabbit
Modifications :	Unmodified

Products Images



Western Blot analysis of NIH-3T3 cells using TGF β RIII
Polyclonal Antibody diluted at 1:1000



Immunohistochemistry analysis of paraffin-embedded human
breast carcinoma tissue, using TGF beta Receptor III Antibody.
The picture on the right is blocked with the synthesized peptide.