

TRH-R1 Polyclonal Antibody

Catalog No: YT4734

Reactivity: Human; Mouse; Rat; Monkey

Applications: WB;IF;ELISA

Target: TRH-R1

Fields: >>Calcium signaling pathway;>>Neuroactive ligand-receptor interaction

Gene Name: TRHR

Protein Name: Thyrotropin-releasing hormone receptor

Human Gene Id: 7201

Human Swiss Prot

P34981

No:

Mouse Gene ld: 22045

Mouse Swiss Prot

P21761

No:

Rat Gene ld: 25570

Rat Swiss Prot No: Q01717

Immunogen: The antiserum was produced against synthesized peptide derived from human

TRHR. AA range:195-244

Specificity: TRH-R1 Polyclonal Antibody detects endogenous levels of TRH-R1 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:20000. Not yet tested in other

applications.



Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 50kD

Cell Pathway: Calcium; Neuroactive ligand-receptor interaction;

Background: This gene encodes a G protein-coupled receptor for thyrotropin-releasing

hormone (TRH). Upon binding to TRH, this receptor activates the inositol phospholipid-calcium-protein kinase C transduction pathway. Mutations in this gene have been associated with generalized thyrotropin-releasing hormone

resistance. [provided by RefSeq, Sep 2011],

Function: function:Receptor for thyrotropin-releasing hormone. This receptor is mediated

by G proteins which activate a phosphatidylinositol-calcium second messenger

system., similarity: Belongs to the G-protein coupled receptor 1 family.,

Subcellular

Location:

Cell membrane ; Multi-pass membrane protein .

Expression : Brain, Pituitary, Placenta,

Tag: hot


Sort : 23520

No4:


Host: Rabbit

Modifications: Unmodified


Products Images



Immunofluorescence analysis of A549 cells, using TRHR Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from COS7 cells, using TRHR Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HepG2 cells using TRHR antibody.