

## **Osteoglycin Polyclonal Antibody**

Catalog No: YT5294

**Reactivity:** Human; Mouse

**Applications:** WB;ELISA

Target: Osteoglycin

Gene Name: OGN

Protein Name: Mimecan

Human Gene Id: 4969

**Human Swiss Prot** 

No:

Mouse Gene ld: 18295

**Mouse Swiss Prot** 

No:

Immunogen: The antiserum was produced against synthesized peptide derived from the C-

terminal region of human OGN. AA range:231-280

**Specificity:** Osteoglycin Polyclonal Antibody detects endogenous levels of Osteoglycin

protein.

P20774

Q62000

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. ELISA: 1:20000. Not yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

1/3

Observed Band: 35kD

**Background :** This gene encodes a member of the small leucine-rich proteoglycan (SLRP)

family of proteins. The encoded protein induces ectopic bone formation in conjunction with transforming growth factor beta and may regulate osteoblast differentiation. High expression of the encoded protein may be associated with elevated heart left ventricular mass. Alternative splicing results in multiple

transcript variants. [provided by RefSeq, Jan 2016],

**Function:** function:Induces bone formation in conjunction with TGF-beta-1 or TGF-

beta-2., similarity: Belongs to the small leucine-rich proteoglycan (SLRP) family. Class III subfamily., similarity: Contains 7 LRR (leucine-rich) repeats., tissue

specificity:Bone.,

Subcellular

Location:

Secreted, extracellular space, extracellular matrix.

**Expression:** Bone.


**Sort**: 11326

No4:

Host: Rabbit


Modifications: Unmodified

## **Products Images**



Western Blot analysis of L929 cells using Osteoglycin Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000





Western blot analysis of lysate from L929 cells, using OGN Antibody.