

## **Axl Polyclonal Antibody**

Catalog No: YT5690

**Reactivity:** Human; Mouse; Rat

**Applications:** WB;ELISA

Target: Axl

**Fields:** >>EGFR tyrosine kinase inhibitor resistance

Gene Name: AXL UFO

**Protein Name:** Tyrosine-protein kinase receptor UFO

P30530

Q00993

**Human Gene Id:** 558

**Human Swiss Prot** 

No:

Mouse Gene Id: 26362

**Mouse Swiss Prot** 

No:

**Immunogen:** Synthesized peptide derived from Axl. at AA range: 630-710

**Specificity:** Axl Polyclonal Antibody detects endogenous levels of Axl protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

1/3



**Storage Stability:** -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 130kD

**Background :** The protein encoded by this gene is a member of the Tyro3-Axl-Mer (TAM)

receptor tyrosine kinase subfamily. The encoded protein possesses an

extracellular domain which is composed of two immunoglobulin-like motifs at the N-terminal, followed by two fibronectin type-III motifs. It transduces signals from the extracellular matrix into the cytoplasm by binding to the vitamin K-dependent protein growth arrest-specific 6 (Gas6). This gene may be involved in several cellular functions including growth, migration, aggregation and anti-inflammation in multiple cell types. Alternative splicing results in multiple transcript variants of

this gene. [provided by RefSeq, Jul 2013],

**Function :** catalytic activity:ATP + a [protein]-L-tyrosine = ADP + a [protein]-L-tyrosine

phosphate., disease: Has transforming potential in patients with chronic

myeloproliferative disorder or chronic myelocytic leukemia.,function:May function as a signal transducer between specific cell types of mesodermal origin. In case of filovirus infection, seems to function as a cell entry factor.,similarity:Belongs to

the protein kinase superfamily. Tyr protein kinase family. AXL/UFO

subfamily.,similarity:Contains 1 protein kinase domain.,similarity:Contains 2 fibronectin type-III domains.,similarity:Contains 2 Ig-like C2-type (immunoglobulin-like) domains.,subunit:Heterodimer and heterotetramer with GAS6.,tissue

specificity:Highly expressed in metastatic colon tumors. Expressed in primary

colon tumors. Weakly expressed in normal colon tissue.,

Subcellular Location:

Cell membrane; Single-pass type I membrane protein.

**Expression:** Highly expressed in metastatic colon tumors. Expressed in primary colon tumors.

Weakly expressed in normal colon tissue.

**Sort :** 2538


No4:

Host: Rabbit

Modifications: Unmodified

## **Products Images**





Western blot analysis of 293T using Axl antibody. Antibody was diluted at 1:500. Secondary antibody(catalog#:RS0002) was diluted at 1:20000

3/3