

IL-34 Monoclonal Antibody

Catalog No: YM0371

Reactivity: Human

Applications: WB;IF;FCM;ELISA

Target: IL-34

Fields: >>Cytokine-cytokine receptor interaction;>>Viral protein interaction with

cytokine and cytokine receptor

Gene Name: IL34

Protein Name: Interleukin-34

Q6ZMJ4

Q8R1R4

Human Gene Id: 146433

Human Swiss Prot

No:

Mouse Swiss Prot

No:

Immunogen: Purified recombinant fragment of human IL-34 expressed in E. Coli.

Specificity: IL-34 Monoclonal Antibody detects endogenous levels of IL-34 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Monoclonal, Mouse

Dilution: WB 1:500 - 1:2000. IF 1:200 - 1:1000. Flow cytometry: 1:200 - 1:400. ELISA:

1:10000. Not yet tested in other applications.

Purification : Affinity purification

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 27kD

1/3



P References:

1. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24.

Lim J, et al. Cell, 2006 May 19.
Lin H, et al. Science, 2008 May 9.

Background:

Interleukin-34 is a cytokine that promotes the differentiation and viability of monocytes and macrophages through the colony-stimulating factor-1 receptor (CSF1R; MIM 164770) (Lin et al., 2008 [PubMed 18467591]).[supplied by OMIM, May 2008],

Function:

function:Cytokine that promotes the differentiation and viability of monocytes and macrophages. Stimulates phosphorylation of MAPK1/ERK2 AND MAPK3/ERK1. Ligand for colony-stimulating factor-1 receptor CSF1R.,similarity:Belongs to the IL-34 family.,subunit:Homodimer.,tissue specificity:Detected in the sinusoidal epithelium in the red pulp of spleen (at protein level). Predominantly expressed in spleen. Also detected in a range of other tissues including heart, brain, lung, liver, kidney, thymus, testis, ovary, small intestine, prostate and colon.,

Subcellular Location:

Secreted.

Expression:

Detected in the sinusoidal epithelium in the red pulp of spleen (at protein level). Predominantly expressed in spleen. Also detected in a range of other tissues including heart, brain, lung, liver, kidney, thymus, testis, ovary, small intestine, prostate and colon.

Sort:

8507

No4:

1


Host:

Mouse


Modifications:

Unmodified


Products Images



Western Blot analysis using IL-34 Monoclonal Antibody against IL-34-hlgGFc transfected HEK293 cell lysate.



Immunofluorescence analysis of U251 cells using IL-34 Monoclonal Antibody (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.



Flow cytometric analysis of K562 cells using IL-34 Monoclonal Antibody (green) and negative control (purple).