


Hsp90 α mouse mAb

Catalog No :	YM1466
Reactivity :	Human;Mouse;Rat;Monkey
Applications :	WB
Target :	HSP 90
Fields :	>>Protein processing in endoplasmic reticulum;>>PI3K-Akt signaling pathway;>>Necroptosis;>>Antigen processing and presentation;>>NOD-like receptor signaling pathway;>>IL-17 signaling pathway;>>Th17 cell differentiation;>>Progesterone-mediated oocyte maturation;>>Estrogen signaling pathway;>>Salmonella infection;>>Pathways in cancer;>>Chemical carcinogenesis - receptor activation;>>Prostate cancer;>>Lipid and atherosclerosis;>>Fluid shear stress and atherosclerosis
Gene Name :	hsp90aa1
Human Gene Id :	3320
Human Swiss Prot No :	P07900
Mouse Swiss Prot No :	P07901
Immunogen :	Purified recombinant human Hsp90 alpha protein fragments expressed in E.coli
Specificity :	This antibody detects endogenous levels of Hsp90 alpha and does not cross-react with Hsp90 beta and other proteins.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Monoclonal, Mouse
Dilution :	wb dilution 1:1000
Purification :	The antibody was affinity-purified from mouse ascites by affinity-chromatography using epitope-specific immunogen. 1 mg/ml

Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)
Observed Band :	90kD
Cell Pathway :	Antigen processing and presentation;NOD-like receptor;Progesterone-mediated oocyte maturation;Pathways in cancer;Prostate cancer;
Background :	The protein encoded by this gene is an inducible molecular chaperone that functions as a homodimer. The encoded protein aids in the proper folding of specific target proteins by use of an ATPase activity that is modulated by co-chaperones. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2012],
Function :	caution:Despite classification as a pseudogene, the existence of this protein is supported by unambiguous mass spectrometry evidence.,function:Molecular chaperone.,function:Molecular chaperone. Has ATPase activity.,similarity:Belongs to the heat shock protein 90 family.,subcellular location:Identified by mass spectrometry in melanosome fractions from stage I to stage IV.,subunit:Homodimer. Interacts with AHSA1, SMYD3 and TOM34. Interacts with FNIP1 and HSF1.,
Subcellular Location :	Nucleus . Cytoplasm . Melanosome . Cell membrane . Mitochondrion . Identified by mass spectrometry in melanosome fractions from stage I to stage IV.
Expression :	Adult brain,Brain,Brain cortex,Breast,Cajal-Retzius
Sort :	7936
No4 :	1
Host :	Mouse
Modifications :	Unmodified

Products Images



Western blot detection of Hsp90 alpha in R Brain, Jurkat, CHO-K1, COS7, C6, 3T3 and HeLa cell lysates using Hsp90 alpha mouse mAb (1:1000 diluted). Predicted band size: 90KDa. Observed band size: 90KDa.