

## Wnt5b mouse mAb


<b>Catalog No :</b>	YM1499
<b>Reactivity :</b>	Transfected
<b>Applications :</b>	WB
<b>Target :</b>	Wnt5b
<b>Fields :</b>	>>mTOR signaling pathway;>>Wnt signaling pathway;>>Axon guidance;>>Hippo signaling pathway;>>Signaling pathways regulating pluripotency of stem cells;>>Melanogenesis;>>Cushing syndrome;>>Alzheimer disease;>>Pathways of neurodegeneration - multiple diseases;>>Human papillomavirus infection;>>Pathways in cancer;>>Proteoglycans in cancer;>>Basal cell carcinoma;>>Breast cancer;>>Hepatocellular carcinoma;>>Gastric cancer
<b>Gene Name :</b>	wnt5b
<b>Human Gene Id :</b>	81029
<b>Human Swiss Prot No :</b>	Q9H1J7
<b>Mouse Swiss Prot No :</b>	P22726
<b>Immunogen :</b>	Purified recombinant human Wnt5b protein fragments expressed in E.coli.
<b>Specificity :</b>	Transfected Only.
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Monoclonal, Mouse
<b>Dilution :</b>	wb dilution 1:1000
<b>Purification :</b>	The antibody was affinity-purified from mouse ascites by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml

---

<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)
<b>Observed Band :</b>	45kD
<b>Cell Pathway :</b>	WNT;WNT-T CELLHedgehog;Melanogenesis;Pathways in cancer;Basal cell carcinoma;
<b>Background :</b>	The WNT gene family consists of structurally related genes which encode secreted signaling proteins. These proteins have been implicated in oncogenesis and in several developmental processes, including regulation of cell fate and patterning during embryogenesis. This gene is a member of the WNT gene family. It encodes a protein which shows 94% and 80% amino acid identity to the mouse Wnt5b protein and the human WNT5A protein, respectively. Alternative splicing of this gene generates 2 transcript variants. [provided by RefSeq, Jul 2008],
<b>Function :</b>	function:Ligand for members of the frizzled family of seven transmembrane receptors.,function:Ligand for members of the frizzled family of seven transmembrane receptors. Probable developmental protein. May be a signaling molecule which affects the development of discrete regions of tissues. Is likely to signal over only few cell diameters.,similarity:Belongs to the Wnt family.,subunit:Interacts with PORCN.,
<b>Subcellular Location :</b>	Secreted, extracellular space, extracellular matrix.
<b>Expression :</b>	Brain,Muscle,
<b>Sort :</b>	24319
<b>No4 :</b>	1
<b>Host :</b>	Mouse
<b>Modifications :</b>	Unmodified

---

## Products Images



Western blot detection of Wnt5b in CHO-K1 cell lysate (B) and CHO-K1 transfected by Wnt5b (A) cell lysate using Wnt5b mouse mAb (1:1000 diluted). Predicted band size: 45KDa. Observed band size: 45KDa.