

Recombinant Human VEGF165 protein ,C- His Tag

| | |
|-------------------------------|---|
| Catalog No : | YD2268 |
| Reactivity : | Human |
| Purity : | >90% as determined by SDS-PAGE |
| In Vivo : | Please contact with the lab for this information. |
| Sequence : | A DNA sequence encoding the human VEGFA(Met1-Arg191) was fused the C-terminal His Tag |
| Human Swiss Prot No : | P15692-4 |
| Formulation : | Supplied as solution form in PBS pH 7.5./ Lyophilized from PBS pH 7.5. |
| Source : | Mammalian |
| Dilution : | Reconstitute in sterile water for a stock solution |
| Concentration : | >90% as determined by SDS-PAGE |
| Storage Stability : | Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8 °C for one week . Store at -20 to -80 °C for twelve months from the date of receipt. |
| Subcellular Location : | Secreted . VEGF121 is acidic and freely secreted. VEGF165 is more basic, has heparin-binding properties and, although a significant proportion remains cell-associated, most is freely secreted. VEGF189 is very basic, it is cell-associated after secretion and is bound avidly by heparin and the extracellular matrix, although it may be released as a soluble form by heparin, heparinase or plasmin. |
| Expression : | Isoform VEGF189, isoform VEGF165 and isoform VEGF121 are widely expressed. Isoform VEGF206 and isoform VEGF145 are not widely expressed. A higher level expression seen in pituitary tumors as compared to the pituitary gland. |
| Sort : | 14268 |



Best Tools for immunology Research

Products Images