

CD81-FC recombinant protein

YD3079 Catalog No:

Reactivity: Human;

>90% as determined by SDS-PAGE **Purity:**

Gene Name: CD81

CD81 antigen (26 kDa cell surface protein TAPA-1) (Target of the **Protein Name:**

antiproliferative antibody 1) (Tetraspanin-28) (Tspan-28) (CD antigen CD81)

Amino acid:34-63, with FC tag. Sequence:

P60033

Human Gene Id: 975

Human Swiss Prot

Formulation:

No:

Source: Mammalian cells

Storage Stability: -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Phosphate-buffered solution

Function: Structural component of specialized membrane microdomains known as

> tetraspanin-enriched microdomains (TERMs), which act as platforms for receptor clustering and signaling. Essential for trafficking and compartmentalization of

CD19 receptor on the surface of activated B cells (PubMed:16449649.

PubMed:20237408, PubMed:27881302). Upon initial encounter with microbial pathogens, enables the assembly of CD19-CR2/CD21 and B cell receptor (BCR) complexes at signaling TERMs, lowering the threshold dose of antigen required to trigger B cell clonal expansion and antibody production (PubMed:15161911, PubMed:20237408). In T cells, facilitates the localization of CD247/CD3 zeta at

antigen-induced synapses with B cells, providing for costimulation and polarization toward T helper type 2 phenotype (PubMed:22307619,

PubMed:23858057, PubMed:8766544). Present in MHC class II compartments,

may also play a

Subcellular Location:

Cell membrane; Multi-pass membrane protein. Basolateral cell membrane;

Multi-pass membrane protein. Note=Associates with CLDN1 and the CLDN1-CD81 complex localizes to the basolateral cell membrane. .



Expression:

Expressed on B cells (at protein level) (PubMed:20237408). Expressed in hepatocytes (at protein level) (PubMed:12483205). Expressed in monocytes/macrophages (at protein level) (PubMed:12796480). Expressed on both naive and memory CD4-positive T cells (at protein level) (PubMed:22307619).

Products Images