

ABCF2 Polyclonal Antibody

Catalog No :	YT0052
Reactivity :	Human;Mouse;Rat
Applications :	WB;ELISA
Target :	ABCF2
Fields :	>>Pathogenic Escherichia coli infection
Gene Name :	ABCF2
Protein Name :	ATP-binding cassette sub-family F member 2
Human Gene Id :	10061
Human Swiss Prot No :	Q9UG63
Mouse Gene Id :	27407
Mouse Swiss Prot No :	Q99LE6
Immunogen :	The antiserum was produced against synthesized peptide derived from human ABCF2. AA range:171-220
Specificity :	ABCF2 Polyclonal Antibody detects endogenous levels of ABCF2 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. ELISA: 1:5000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml

Storage Stability : -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band : 70kD

Background : This gene encodes a member of the ATP-binding cassette (ABC) transporter superfamily. ATP-binding cassette proteins transport various molecules across extra- and intracellular membranes. Alterations in this gene may be involved in cancer progression. Alternative splicing results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 3 and 7. [provided by RefSeq, Jul 2013],

Function : caution:Lacks transmembrane domains and is probably not involved in transport.,similarity:Belongs to the ABC transporter family.,similarity:Belongs to the ABC transporter family. EF3 subfamily.,similarity:Contains 2 ABC transporter domains.,

Subcellular Location : nucleosome,nucleus,mitochondrion,mitochondrial envelope,membrane,ATP-binding cassette (ABC) transporter complex,

Expression : Colon,Lung,Uterus,


Sort : 1583


No4 : 1

Host : Rabbit


Modifications : Unmodified

Products Images






Western Blot analysis of HeLa cells using ABCF2 Polyclonal Antibody



Western blot analysis of ABCF2 Antibody. The lane on the right is blocked with the ABCF2 peptide.



Western blot analysis of the lysates from HepG2 cells using ABCF2 antibody.