

BCAS2 Polyclonal Antibody

Catalog No: YT0464

Reactivity: Human; Mouse; Rat; Monkey

Applications: WB;ELISA

Target: BCAS2

Fields: >>Spliceosome

Gene Name: BCAS2

Protein Name: Pre-mRNA-splicing factor SPF27

075934

Q9D287

Human Gene Id: 10286

Human Swiss Prot

Idiliali Swiss Fiot

No:

Mouse Gene Id: 68183

Mouse Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

BCAS2. AA range:176-225

Specificity: BCAS2 Polyclonal Antibody detects endogenous levels of BCAS2 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. ELISA: 1:5000. Not yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

1/3



Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 27kD

Cell Pathway: Spliceosome;

Background: function:Involved in mRNA splicing.,similarity:Belongs to the SPF27

family., subunit: Associated with the spliceosome., tissue specificity: Ubiquitously

expressed.,

Function: function:Involved in mRNA splicing.,similarity:Belongs to the SPF27

family., subunit: Associated with the spliceosome., tissue specificity: Ubiquitously


expressed.,

Subcellular Location :


Nucleus . Nucleus, nucleolus .

Expression: Ubiquitously expressed.


Products Images



Western Blot analysis of various cells using BCAS2 Polyclonal Antibody diluted at 1:1000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).



Western Blot analysis of COS7 cells using BCAS2 Polyclonal Antibody diluted at 1:1000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).



Western blot analysis of the lysates from HUVECcells using BCAS2 antibody.