

## EGFL5 Polyclonal Antibody

<b>Catalog No :</b>	YT1483
<b>Reactivity :</b>	Human;Mouse;Rat
<b>Applications :</b>	WB;ELISA
<b>Target :</b>	EGFL5
<b>Gene Name :</b>	MEGF9
<b>Protein Name :</b>	Multiple epidermal growth factor-like domains protein 9
<b>Human Gene Id :</b>	1955
<b>Human Swiss Prot No :</b>	Q9H1U4
<b>Mouse Gene Id :</b>	230316
<b>Mouse Swiss Prot No :</b>	Q8BH27
<b>Immunogen :</b>	The antiserum was produced against synthesized peptide derived from human MEGF9. AA range:383-432
<b>Specificity :</b>	EGFL5 Polyclonal Antibody detects endogenous levels of EGFL5 protein.
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	WB 1:500 - 1:2000. ELISA: 1:40000. Not yet tested in other applications.
<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml
<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)

**Observed Band :** 63kD


**Background :** caution:It is uncertain whether Met-1 or Met-9 is the initiator.,polymorphism:The poly-Ala stretch (positions 24 to 31) may be polymorphic and varies from 6 to 8 Ala residues.,sequence caution:Intron retention.,similarity:Contains 5 laminin EGF-like domains.,

**Function :** caution:It is uncertain whether Met-1 or Met-9 is the initiator.,polymorphism:The poly-Ala stretch (positions 24 to 31) may be polymorphic and varies from 6 to 8 Ala residues.,sequence caution:Intron retention.,similarity:Contains 5 laminin EGF-like domains.,


**Subcellular Location :** Membrane ; Single-pass type I membrane protein .

**Expression :** Brain,

## Products Images



Western Blot analysis of various cells using EGFL5 Polyclonal Antibody diluted at 1:500



Western blot analysis of lysates from COLO cells, using MEGF9 Antibody. The lane on the right is blocked with the synthesized peptide.