


NDUFA4L2 Polyclonal Antibody

Catalog No :	YT3009		
Reactivity :	Human;Mouse		
Applications :	WB;ELISA		
Target :	NDUFA4L2		
Fields :	>>Oxidative phosphorylation;>>Metabolic pathways;>>Thermogenesis;>>Retrograde endocannabinoid signaling;>>Non- alcoholic fatty liver disease;>>Alzheimer disease;>>Parkinson disease;>>Amyotrophic lateral sclerosis;>>Huntington disease;>>Prion disease;>>Pathways of neurodegeneration - multiple diseases;>>Chemical carcinogenesis - reactive oxygen species;>>Diabetic cardiomyopathy		
Gene Name :	NDUFA4L2		
Protein Name :	NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 4-like 2		
Human Gene Id :	56901		
Human Swiss Prot No :	Q9NRX3		
Mouse Gene Id :	407790		
Mouse Swiss Prot	Q4FZG9		
No : Immunogen :	The antiserum was produced against synthesized peptide derived from human NDUFA4L2. AA range:38-87		
Specificity :	NDUFA4L2 Polyclonal Antibody detects endogenous levels of NDUFA4L2 protein.		
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Source :	Polyclonal, Rabbit,IgG		
Dilution :	WB 1:500 - 1:2000. ELISA: 1:20000. Not yet tested in other applications.		



Best Tools for immunology Research			
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.		
Concentration :	1 mg/ml		
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)		
Observed Band :	15kD		
Cell Pathway :	Oxidative phosphorylation;Alzheimer's disease;Parkinson's disease;Huntington's disease;		
Background :	similarity:Belongs to the complex I NDUFA4 subunit family.,		
Function :	similarity:Belongs to the complex I NDUFA4 subunit family.,		
Subcellular Location :	mitochondrial respiratory chain complex IV, integral component of membrane,		
Expression :	Adrenal gland, Muscle,		

Products Images



Western Blot analysis of various cells using NDUFA4L2 Polyclonal Antibody diluted at 1:2000



JK COLO 205 HUVEC HepG2 HepG2		Western blot analysis of lysates from HepG2, HUVEC, COLO,
	117	and Jurkat cells, using NDUFA4L2 Antibody. The lane on the right is blocked with the synthesized peptide.
	85	
	10	
	48	
	34	
	26	
	19 kD)	