

Rabphilin-3A Polyclonal Antibody

Catalog No :	YT3950
Reactivity :	Human;Mouse;Rat
Applications :	WB;IHC;IF;ELISA
Target :	Rabphilin 3A
Gene Name :	RPH3A
Protein Name :	Rabphilin-3A
Human Gene Id :	22895
Human Swiss Prot No :	Q9Y2J0
Mouse Gene Id :	19894
Mouse Swiss Prot No :	P47708
Rat Gene Id :	171039
Rat Swiss Prot No :	P47709
Immunogen :	The antiserum was produced against synthesized peptide derived from human Rabphilin 3A. AA range:203-252
Specificity :	Rabphilin-3A Polyclonal Antibody detects endogenous levels of Rabphilin-3A protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:5000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration : 1 mg/ml

Storage Stability : -15°C to -25°C/1 year (Do not lower than -25°C)

Observed Band : 75kD


Background : Exocytosis of neurotransmitters and hormones is fundamental to synaptic neurotransmission and cell-cell communication. RAB3A (MIM 179390) is a small G protein that is thought to act at late stages of exocytosis, and RPH3A is a RAB3A effector (Lin et al., 2007 [PubMed 17149709]). [supplied by OMIM, Jul 2008],

Function : function:Protein transport. Probably involved with Ras-related protein Rab-3A in synaptic vesicle traffic and/or synaptic vesicle fusion. Could play a role in neurotransmitter release by regulating membrane flow in the nerve terminal.,similarity:Contains 1 FYVE-type zinc finger.,similarity:Contains 1 RabBD (Rab-binding) domain.,similarity:Contains 2 C2 domains.,


Subcellular Location : Cytoplasmic vesicle, secretory vesicle, synaptic vesicle membrane . Cell projection, dendritic spine . Cell junction, synapse, postsynaptic cell membrane . Membrane ; Peripheral membrane protein .

Expression : Brain,Lung,


Products Images




Western Blot analysis of various cells using Rabphilin-3A Polyclonal Antibody



Immunofluorescence analysis of HeLa cells, using Rabphilin 3A Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using Rabphilin 3A Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from HeLa cells, treated with TNF- α 20ng/ml 2', using Rabphilin 3A Antibody. The lane on the right is blocked with the synthesized peptide.