

Rab 34 Polyclonal Antibody

Catalog No: YT3930

Reactivity: Human;Rat;Mouse;

Applications: WB;IHC;IF;ELISA

Target: Rab 34

Gene Name: RAB34

Protein Name: Ras-related protein Rab-34

Q9BZG1

Q64008

Human Gene Id: 83871

Human Swiss Prot

No:

Mouse Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

RAB34. AA range:206-255

Specificity: Rab 34 Polyclonal Antibody detects endogenous levels of Rab 34 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : WB 1:500 - 1:2000.IHC 1:50-200 ELISA: 1:5000.. IF 1:50-200

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 29kD

1/3



Background:

This gene encodes a protein belonging to the RAB family of proteins, which are small GTPases involved in protein transport. This family member is a Golgi-bound member of the secretory pathway that is involved in the repositioning of lysosomes and the activation of macropinocytosis. Alternative splicing of this gene results in multiple transcript variants. This gene overlaps and shares exon structure with the nine-amino acid residue-repeats (NARR) gene, which encodes a functionally distinct nucleolar protein from a different reading frame. [provided by RefSeq, Jan 2012],

Function:

function:Protein transport. Involved in the redistribution of lysosomes to the peri-Golgi region.,similarity:Belongs to the small GTPase superfamily. Rab family.,subcellular location:Associates with the Golgi complex.,subunit:Interacts with RILP.,


Subcellular Location:

Cytoplasm . Golgi apparatus . Cytoplasmic vesicle, phagosome . Cytoplasmic vesicle, phagosome membrane ; Lipid-anchor ; Cytoplasmic side . Cell projection, cilium . Recruited to phagosomes containing S.aureus or M.tuberculosis (PubMed:21255211). .


Expression:

Brain, Embryo, Heart, Mammary gland, Pancreas, Skeletal muscle,


Products Images




Western Blot analysis of various cells using Rab 34 Polyclonal Antibody diluted at 1:500 $\,$



Western blot analysis of 293T lysis using Rab 34 antibody. Antibody was diluted at 1:500



Immunohistochemical analysis of paraffin-embedded Human skeletal muscle. Antibody was diluted at 1:100(4° overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.



Immunohistochemistry analysis of paraffin-embedded human skeletal muscle, using RAB34 Antibody. The picture on the right is blocked with the synthesized peptide.