


TOB1 Polyclonal Antibody


| | |
|------------------------------|---|
| Catalog No : | YT4693 |
| Reactivity : | Human;Mouse;Rat |
| Applications : | WB;IHC;IF;ELISA |
| Target : | TOB1 |
| Fields : | >>RNA degradation |
| Gene Name : | TOB1 |
| Protein Name : | Protein Tob1 |
| Human Gene Id : | 10140 |
| Human Swiss Prot No : | P50616 |
| Mouse Swiss Prot No : | Q61471 |
| Rat Swiss Prot No : | Q8R5K6 |
| Immunogen : | The antiserum was produced against synthesized peptide derived from human TOB1. AA range:130-179 |
| Specificity : | TOB1 Polyclonal Antibody detects endogenous levels of TOB1 protein. |
| Formulation : | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source : | Polyclonal, Rabbit,IgG |
| Dilution : | WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:10000.. IF 1:50-200 |
| Purification : | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Concentration : | 1 mg/ml |

Storage Stability : -15°C to -25°C/1 year(Do not lower than -25°C)**Observed Band :** 40kD**Background :** This gene encodes a member of the transducer of erbB-2 /B-cell translocation gene protein family. Members of this family are anti-proliferative factors that have the potential to regulate cell growth. The encoded protein may function as a tumor suppressor. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Aug 2011],**Function :** function:Anti-proliferative protein that interacts with the erbB-2 receptor tyrosine kinase. May physically and/or functionally interact with protein-tyrosine kinase receptors.,PTM:Phosphorylated on Ser and Thr residues.,similarity:Belongs to the BTG family.,subunit:Interacts with CNOT7.,tissue specificity:Ubiquitous.,**Subcellular Location :** Cytoplasm . Nucleus . Only a small fraction localizes to the cytoplasm except in late S-phase where more than half of proteins become cytoplasmic. .**Expression :** Ubiquitous.

Products Images



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using TOB1 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from HT-29 cells, treated with serum 20% 15', using TOB1 Antibody. The lane on the right is blocked with the synthesized peptide.