

β -1,3-Gal-T4 Polyclonal Antibody

Catalog No :	YT5004
Reactivity :	Human;Rat;Mouse;
Applications :	WB;ELISA
Target :	β -1,3-Gal-T4
Fields :	>>Glycosphingolipid biosynthesis - ganglio series;>>Metabolic pathways
Gene Name :	B3GALT4
Protein Name :	Beta-1,3-galactosyltransferase 4
Human Gene Id :	8705
Human Swiss Prot No :	O96024
Mouse Swiss Prot No :	Q9Z0F0
Immunogen :	The antiserum was produced against synthesized peptide derived from human B3GALT4. AA range:181-230
Specificity :	β -1,3-Gal-T4 Polyclonal Antibody detects endogenous levels of β -1,3-Gal-T4 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band : 42kD

Cell Pathway : Glycosphingolipid biosynthesis;

Background : This gene is a member of the beta-1,3-galactosyltransferase (beta3GalT) gene family. This family encodes type II membrane-bound glycoproteins with diverse enzymatic functions using different donor substrates (UDP-galactose and UDP-N-acetylglucosamine) and different acceptor sugars (N-acetylglucosamine, galactose, N-acetylgalactosamine). The beta3GalT genes are distantly related to the Drosophila Brainiac gene and have the protein coding sequence contained in a single exon. The beta3GalT proteins also contain conserved sequences not found in the beta4GalT or alpha3GalT proteins. The carbohydrate chains synthesized by these enzymes are designated as type 1, whereas beta4GalT enzymes synthesize type 2 carbohydrate chains. The ratio of type 1:type 2 chains changes during embryogenesis. By sequence similarity, the beta3GalT genes fall into at least two groups: beta3GalT4 and 4 other beta3

Function : catalytic activity:UDP-galactose + N-acetyl-D-galactosaminyl-(N-acetylneuraminy)-D-galactosyl-(1->4)-beta-D-glucosyl-N-acylsphingosine = UDP + D-galactosyl-(1->3)-beta-N-acetyl-D-galactosaminyl-(N-acetylneuraminy)-D-galactosyl-D-glucosyl-N-acylsphingosine.,function:Involved in GM1/GD1B/GA1 ganglioside biosynthesis.,online information:Beta-1,3-galactosyltransferase 4,online information:GlycoGene database,pathway:Protein modification; protein glycosylation.,similarity:Belongs to the glycosyltransferase 31 family.,tissue specificity:Highly expressed in heart, skeletal muscle and pancreas and, to a lesser extent, in brain, placenta, kidney, liver and lung.,

Subcellular Location : Golgi apparatus membrane ; Single-pass type II membrane protein .

Expression : Highly expressed in heart, skeletal muscle and pancreas and, to a lesser extent, in brain, placenta, kidney, liver and lung.

Products Images



