


Unc18-1 (phospho Ser313) Polyclonal Antibody

Catalog No :	YP0311
Reactivity :	Human;Mouse;Rat;Monkey
Applications :	WB;ELISA
Target :	Unc18-1
Fields :	>>Synaptic vesicle cycle
Gene Name :	STXBP1
Protein Name :	Syntaxin-binding protein 1
Human Gene Id :	6812
Human Swiss Prot No :	P61764
Mouse Gene Id :	20910
Mouse Swiss Prot No :	O08599
Rat Gene Id :	25558
Rat Swiss Prot No :	P61765
Immunogen :	The antiserum was produced against synthesized peptide derived from human MUNC-18a around the phosphorylation site of Ser313. AA range:279-328
Specificity :	Phospho-Unc18-1 (S313) Polyclonal Antibody detects endogenous levels of Unc18-1 protein only when phosphorylated at S313.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. ELISA: 1:5000. Not yet tested in other applications.

Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)
Observed Band :	65kD
Background :	This gene encodes a syntaxin-binding protein. The encoded protein appears to play a role in release of neurotransmitters via regulation of syntaxin, a transmembrane attachment protein receptor. Mutations in this gene have been associated with infantile epileptic encephalopathy-4. Alternatively spliced transcript variants have been described. [provided by RefSeq, Feb 2010],
Function :	disease:Defects in STXBP1 are the cause of early infantile epileptic encephalopathy type 4 (EIEE4) [MIM:612164]. Affected individuals have neonatal or infantile onset of seizures, suppression-burst pattern on EEG, profound mental retardation, and MRI evidence of hypomyelination.,function:May participate in the regulation of synaptic vesicle docking and fusion, possibly through interaction with GTP-binding proteins. Essential for neurotransmission and binds syntaxin, a component of the synaptic vesicle fusion machinery probably in a 1:1 ratio. Can interact with syntaxins 1, 2, and 3 but not syntaxin 4. May play a role in determining the specificity of intracellular fusion reactions.,similarity:Belongs to the STXBP/unc-18/SEC1 family.,subunit:Binds SYTL4 and STX1A.,tissue specificity:Brain and spinal cord. Highly enriched in axons.,
Subcellular Location :	Cytoplasm, cytosol . Membrane; Peripheral membrane protein.
Expression :	Brain and spinal cord. Highly enriched in axons.

Products Images



Western blot analysis of lysates from COS7 cells treated with PMA 125ng/ml 30', using MUNC-18a (Phospho-Ser313) Antibody. The lane on the right is blocked with the phospho peptide.