

Troponin I-C (phospho Ser22/S23) Polyclonal Antibody


Catalog No :	YP0675
Reactivity :	Mouse;Rat
Applications :	WB;IHC;IF;ELISA
Target :	Troponin I-C
Gene Name :	Tnni3
Protein Name :	Troponin I cardiac muscle
Human Swiss Prot No :	P19429
Mouse Gene Id :	21954
Rat Gene Id :	29248
Rat Swiss Prot No :	P23693
Immunogen :	The antiserum was produced against synthesized peptide derived from mouse TNNI3 around the phosphorylation site of Ser22 and Ser23. AA range:5-54
Specificity :	Phospho-Troponin I-C (S22/S23) Polyclonal Antibody detects endogenous levels of Troponin I-C protein only when phosphorylated at S22/S23.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:20000.. IF 1:50-200
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band : 28kD


Background :

Troponin I (TnI), along with troponin T (TnT) and troponin C (TnC), is one of 3 subunits that form the troponin complex of the thin filaments of striated muscle. TnI is the inhibitory subunit; blocking actin-myosin interactions and thereby mediating striated muscle relaxation. The TnI subfamily contains three genes: tnl-skeletal-fast-twitch, TnI-skeletal-slow-twitch, and TnI-cardiac. This gene encodes the TnI-cardiac protein and is exclusively expressed in cardiac muscle tissues. Mutations in this gene cause familial hypertrophic cardiomyopathy type 7 (CMH7) and familial restrictive cardiomyopathy (RCM).


Products Images




Western Blot analysis of SH-SY5Y cells using Phospho-Troponin I-C (S22/S23) Polyclonal Antibody diluted at 1:1000



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using TNNI3 (Phospho-Ser22+Ser23) Antibody



Immunohistochemistry analysis of paraffin-embedded human skeletal muscle, using TNNI3 (Phospho-Ser22+Ser23) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from mouse heart, using TNNI3 (Phospho-Ser22+Ser23) Antibody. The lane on the right is blocked with the phospho peptide.