

Adducin α/β (phospho Ser726/713) Polyclonal Antibody

Catalog No: YP0854

Reactivity: Human; Mouse; Rat

Applications: WB;IHC;IF;ELISA

Target: Adducin α/β

Gene Name: ADD1/ADD2

Protein Name: Alpha-adducin/Beta-adducin

P35611/P35612

Human Gene ld: 118/119

Human Swiss Prot

No:

Mouse Gene ld: 11518/11519

Rat Gene Id: 24170/24171

Rat Swiss Prot No: Q63028/Q05764

Immunogen: The antiserum was produced against synthesized peptide derived from human

ADD1 around the phosphorylation site of Ser726. AA range:688-737

Specificity: Phospho-Adducin α/β (S726/713) Polyclonal Antibody detects endogenous

levels of Adducin α/β protein only when phosphorylated at S726/713.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:40000. Not

yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.



Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 80kD

Background: adducin 1(ADD1) Homo sapiens Adducins are a family of cytoskeleton proteins

encoded by three genes (alpha, beta, gamma). Adducin is a heterodimeric protein that consists of related subunits, which are produced from distinct genes but share a similar structure. Alpha- and beta-adducin include a protease-resistant N-terminal region and a protease-sensitive, hydrophilic C-terminal region. Alpha-and gamma-adducins are ubiquitously expressed. In contrast, beta-adducin is expressed at high levels in brain and hematopoietic tissues. Adducin binds with high affinity to Ca(2+)/calmodulin and is a substrate for protein kinases A and C. Alternative splicing results in multiple variants encoding distinct isoforms; however, not all variants have been fully described. [provided by RefSeq, Jul

2008],

Function: alternative products:Additional isoforms seem to exist,domain:Each subunit is

comprised of three regions: a NH2-terminal protease-resistant globular head

region, a short connecting subdomain, and a protease-sensitive tail

region.,function:Membrane-cytoskeleton-associated protein that promotes the assembly of the spectrin-actin network. Binds to calmodulin.,PTM:The N-terminus

is blocked., similarity: Belongs to the aldolase class II family. Adducin

subfamily., subunit: Heterodimer of an alpha and a beta subunit or an alpha and a gamma subunit. Binds ROCK1., tissue specificity: Expressed in all tissues. Found

in much higher levels in reticulocytes than the beta subunit.,

Subcellular

Location:


Cytoplasm, cytoskeleton. Cell membrane; Peripheral membrane protein;

Cytoplasmic side.


Expression: Expressed in all tissues. Found in much higher levels in reticulocytes than the

beta subunit.


Products Images




Western Blot analysis of various cells using Phospho-Adducin α/β (S726/713) Polyclonal Antibody diluted at 1:1000




Immunohistochemical analysis of paraffin-embedded Human breast cancer. Antibody was diluted at 1:100(4° overnight). Highpressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was preabsorbed by immunogen peptide.




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using ADD1 (Phospho-Ser726) Antibody



Immunofluorescence analysis of HeLa cells, using ADD1 (Phospho-Ser726) Antibody. The picture on the right is blocked with the phospho peptide.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using ADD1 (Phospho-Ser726) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from HeLa cells treated with Forskolin 40nM 30', using ADD1 (Phospho-Ser726) Antibody. The lane on the right is blocked with the phospho peptide.