

## Recombinant Human CD152 protein ,C- His Tag

<b>Catalog No :</b>	YD2224
<b>Reactivity :</b>	Human
<b>Purity :</b>	>90% as determined by SDS-PAGE
<b>In Vivo :</b>	
<b>Sequence :</b>	A DNA sequence encoding the human CTLA4(Met1~Asp161) was fused with the C-terminal His Tag
<b>Human Swiss Prot No :</b>	P16410
<b>Formulation :</b>	Supplied as solution form in 150 mM NaCl, 50 mM Tris-HCl, pH 7.5./ Lyophilized from 150 mM NaCl, 50 mM Tris-HCl, pH 7.5.
<b>Source :</b>	Mammalian cells
<b>Dilution :</b>	Reconstitute in sterile water for a stock solution
<b>Concentration :</b>	>90% as determined by SDS-PAGE
<b>Storage Stability :</b>	Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8 °C for one week . Store at -20 to -80 °C for twelve months from the date of receipt.
<b>Subcellular Location :</b>	Cell membrane ; Single-pass type I membrane protein . Exists primarily an intracellular antigen whose surface expression is tightly regulated by restricted trafficking to the cell surface and rapid internalization.
<b>Expression :</b>	Widely expressed with highest levels in lymphoid tissues. Detected in activated T-cells where expression levels are 30- to 50-fold less than CD28, the stimulatory coreceptor, on the cell surface following activation.

## Products Images