

KSP-Cadherin (ABT154R) rabbit mAb

Catalog No: YM7144

Reactivity: Human; Mouse;

Applications: IHC; ELISA

Target: KSP-Cadherin

Gene Name: CDH16 UNQ695/PRO1340

Protein Name: KSP-Cadherin

Human Gene Id: 1014

Human Swiss Prot

No:

Immunogen: Synthesized peptide derived from human KSP-Cadherin AA range:1-100

Specificity: This antibody detects endogenous levels of KSP-Cadherin

Formulation: PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

Source: Monoclonal, Rabbit IgG1, Kappa

O75309

Dilution : IHC 1:100-500, ELISA 1:5000-20000

Purification: Recombinant Expression and Affinity purified

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Cell Pathway: JAK/STAT pathway

Background: This gene is a member of the cadherin superfamily, genes encoding calcium-

dependent, membrane-associated glycoproteins. Mapped to a previously identified cluster of cadherin genes on chromosome 16q22.1, the gene localizes with superfamily members CDH1, CDH3, CDH5, CDH8 and CDH11. The protein

consists of an extracellular domain containing 6 cadherin domains, a transmembrane region and a truncated cytoplasmic domain but lacks the



prosequence and tripeptide HAV adhesion recognition sequence typical of most classical cadherins. Expression is exclusively in kidney, where the protein functions as the principal mediator of homotypic cellular recognition, playing a role in the morphogenic direction of tissue development. Alternatively spliced transcript variants encoding distinct isoforms have been identified. [provided by RefSeq, Mar 2011],

Function: function:Cadherins are calcium dependent cell adhesion proteins. They

preferentially interact with themselves in a homophilic manner in connecting cells;

cadherins may thus contribute to the sorting of heterogeneous cell

types., similarity: Contains 6 cadherin domains., tissue specificity: Kidney specific.,

Subcellular Location:

Cell membrane ; Single-pass type I membrane protein .

Expression : Kidney specific.

Products Images

2/2