

Connexin 25 Polyclonal Antibody

Catalog No: YT1041

Reactivity: Human

Applications: WB;ELISA

Target: Connexin 25

Gene Name: GJB7

Protein Name : Gap junction beta-7 protein

Human Gene Id: 375519

Human Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

GJB7. AA range:21-70

Specificity: Connexin 25 Polyclonal Antibody detects endogenous levels of Connexin 25

protein.

Q6PEY0

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 24kD

Background: Connexins, such as GJB7, are involved in the formation of gap junctions,

1/3



intercellular conduits that directly connect the cytoplasms of contacting cells. Each gap junction channel is formed by docking of 2 hemichannels, each of which contains 6 connexin subunits (Sohl et al., 2003 [PubMed 12881038]).[supplied by OMIM, Mar 2008].

Function: function:One gap junction consists of a cluster of closely packed pairs of

transmembrane channels, the connexons, through which materials of low MW diffuse from one cell to a neighboring cell., similarity: Belongs to the connexin family. Beta-type (group I) subfamily., subunit: A connexon is composed of a hexamer of connexins., tissue specificity: Weakly expressed in placenta.,

Subcellular Location :

Cell membrane; Multi-pass membrane protein. Cell junction, gap junction.

Expression : Weakly expressed in placenta.


Sort : 4413

No4: 1


Host: Rabbit

Modifications: Unmodified


Products Images



Western Blot analysis of various cells using Connexin 25 Polyclonal Antibody diluted at 1:500



Western blot analysis of lysates from HT-29 cells, using GJB7 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HeLa cells using GJB7 antibody.