

IFN-ε Polyclonal Antibody

Catalog No: YT5304

Reactivity: Human; Mouse

Applications: WB;ELISA

Target: IFN-ε

Fields: >>Cytokine-cytokine receptor interaction;>>RIG-I-like receptor signaling

pathway;>>JAK-STAT signaling pathway

Gene Name: IFNE

Protein Name: Interferon epsilon

Q86WN2

Q80ZF2

Human Gene Id: 338376

Human Swiss Prot

No:

Mouse Gene Id: 230405

Mouse Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from the C-

terminal region of human IFNE. AA range:159-208

Specificity: IFN-ε Polyclonal Antibody detects endogenous levels of IFN-ε protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. ELISA: 1:20000. Not yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

1/3



Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 24kD

Cell Pathway: Cytokine-cytokine receptor interaction;RIG-I-like receptor;Jak_STAT;

Background: similarity:Belongs to the alpha/beta interferon family.,tissue specificity:Expressed

in prostate cancer cell line PC-3, amnion-derived WISH cells, SK-MEL28 melanoma cells and Daudi cells and very weakly in MCF-7 human breast cancer cells. Not detected in Namalwa cells (Burkitt's lymphoma) or in Jurkat (T) cells.,

Function: similarity:Belongs to the alpha/beta interferon family.,tissue specificity:Expressed

in prostate cancer cell line PC-3, amnion-derived WISH cells, SK-MEL28

melanoma cells and Daudi cells and very weakly in MCF-7 human breast cancer cells. Not detected in Namalwa cells (Burkitt's lymphoma) or in Jurkat (T) cells.,


Subcellular Location:

Secreted.

Expression:


Endometrium-specific.

Products Images



Western Blot analysis of Jurkat cells using IFN- ϵ Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000





Western blot analysis of lysate from Jurkat cells, using IFNE Antibody.